1815

Typhus Fever.

1

From a consciousness of my incompetency to throw any li
on a medical subject, it is with extreme diffidence and reluctan
that I act in conformity to one of the prescribed laws of the
institution. Vain and impertinent would it be in me a me
tyro in medical acquirements (if otherwise circumstanced) to
advance any thing on a subject which has been handled
men as remarkable for their profound knowledge and unri
as for the superior genius which it has pleased the dispe
of all things to confer upon them. Neither have I the
benefit which accrues from practice and which is so necess
to give a right idea concerning all diseases, nor has it
been in my power to peruse with proper attention, the au
who have written with most ability concerning the dise
which I have selected for my dissertation. These two cir

requisites for the better performance of my task being deficient I hope will offer ample apology for the manner in which it is executed.

The disease I propose treating of is Typhus fever and my first effort shall be to describe the symptoms 2dly to mention the progress 3dly to enumerate the causes and 4thly to give proper directions for the cure of the disease.

Camp, Spotted, Putrid, Hospital, Jail, and Typhus fever are essentially one and the same disease. Typhus may be divided into Gravior and Mitior, the former differing from the latter only in point of violence, requiring a modification of the same treatment; I shall therefore confine my remarks to the Typhus Gravior.

In the most part it makes its appearance gradually

but is fo

alternate

and cate

of Spin

viance is

heavy lo

moderate

is great

the heat

the pa

and fuel

the Bo

on a

the deff

but we find exceptions to this rule, It is ushered in by an alternate sensation of heat and cold, pains in the head, back, and extremities, considerable prostration of strength and dejection of spirits, the pulse is small, weak, and frequent, the countenance is pale and sunk, accompanied with confusion in the head, loss of appetite and unrefreshing sleep, while tongue moderate thirst, and nausea. As the fever advances there is great dejection of spirits, the pain and confusion of the head is more constant, with great nausea & lassitude the pulse is not sunk but varies much as to strength and fullness, and is little affected by moderate bleeding the patient is sometimes costive, at other times there comes on a Diarrhoea and this variation may be attributed to the different caprices of the patients; The Skin is

generally
tion frequ
as critical
supervene
is now ap
or end-cha
found to pa
still cont
breath bec
fever dep
a Delirium
may be mo
of the m
frequently

generally dry and parched, though sweats of unequal duration frequently occur, and these should not be considered as critical, unless they be gentle, equally diffused and supervene towards the decline of the Disease; the tongue is now apt to become dry, furrowed, and of a dark brown or red-chalk colour, and if examined minutely, will be found to partake more or less of a tremulous motion; the thirst still continues moderate. The Disease advancing the breath becomes remarkably offensive, and there is a black fur deposited on the roots of the teeth, In some patients a Delirium does not make its appearance but what may be more properly denominated Stupor, the faculties of the mind, are generally impaired before death and frequently from the commencement of the disease

then may
or injudic
subsequen
Delirium
existed on
this part
evacuation
Whether i
eye lids a
sentences,
the effec
Subcut
a frequ
the bites

this may be produced either by the too early use of stimulants or injudicious bleedings. The Countenance unless Delirium supervenes is significant, the eyes are of a red or yellowish cast Delirium increases as night comes on, and if there previously existed only a Stupor, this is apt to change into Delirium this particular symptom, is induced frequently by copious evacuations, or it may be owing to the progress of the fever. Whether induced by the one or other cause, during slumber the eye lids are half closed, and the patient utters incoherent sentences, with a voice scarcely to be heard; as the pulse sinks the affection will be found to increase and vice versa. Subsultus tendinum or a starting of the tendons is also a frequent symptom. Petechiæ or small spots resembling the bites of fleas, make their appearance, more particularly

m the be

overlooke

differ fr

the level

streaks

Thoug

an peace

During

Intermi

in vari

punke

of recon

{ Pro

biliou

[illegible] the back and breast, they are confluent and will often [illegible]
[illegible] unless [illegible] especially [illegible] these [illegible]
[illegible] from the [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible]

Although [illegible] [illegible] [illegible] continued, yet [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

Prognosis. [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible]

[illegible]

[illegible]

[illegible] appears to throw them off. [illegible] CHOLERA. [illegible]

[illegible] parsons extreme heat [illegible] warm [illegible] the. The remote causes are [illegible] [illegible] from public [illegible] want of [illegible] which [illegible] alternate [illegible] infection, impure [illegible] [illegible].

The Disease may be divided into three stages, the first which commences, with a fit somewhat resembling intoxication

last u

second

mind;

of shew

tly tha

is shew

yet shap

receive.

different

unknown

fore,

the oth

necessari

be fram

lasts whilst the patient is able to walk about; the second confines him, and there is some confusion of the mind; the third is accompanied with great prostration of strength sinking pulse and stupor. It is with difficulty that we distinguish the first stage, but the last is strongly marked. ..... Cold, in the 1st stage of this fever Emetics will be found of infinite service. Different practitioners have given preference to different Emetics, for instance Dr Hodgee advices the Antimonials, and Dr Duncan Ipecacuanha, this last I would prefer from its being a manageable medicine whilst on the other hand the preparations of Antimony are more precarious in their effects; Emetic medicines will be found of most advantage when they purge as well

as mo

may

the

jealy

of the

highlighter

throu

no ex

yashra

of the

Mount

lock

and the

Rebec

as moderately vomit the patient. Nauseating doses may frequently arrest the progress of the fever after the stomach and intestines have been evacuated, and I fancy it is in this stage of the disease that the use of the Eupatorium perfoliatum, thoroughwort or ague weed is highly spoken of. Such medicines relieve the head more certainly than bloodletting. It is not however always necessary to commence the cure by Emetics as the nausea and other gastric accidents, may frequently be removed, by means of the effervescing draught or by a weak infusion of mustard. The milder purges will be found to contribute much towards the well doing of the patient, among st these we may mention particularly the Oleum Ricini Rhubarb and Calomel or mercury in the form of the

Place,

indica

the de

a vom

bledisig

again,

the Dra

we shal

hon of

when th

but I b

believe

indicat

longest,

blue pill. Bleeding which the pulse so frequently indicates in the second stage, is a precarious remedy the drawing of a small quantity of blood, having but a momentary effect on the arterial system, whilst larger bleedings frequently prostrate the system never to rise again, and if we consider the buffy coat exhibited by the drawn blood to justify the repetition of venesection we shall through its agency inevitably hasten the depletion of our patient. Topical bleeding may be resorted to when the head is much affected and frequently with benefit but I believe that a gentle vomit will more certainly relieve this symptom (provided circumstances do not contra indicate). In the third stage which is by far the longest, the pulse is considerably sunk, skin cool petechiae

= hiae

expressed

absent;

passage,

have rec

ed. Ver

may be

homes, on

in tient

sen's grac

in contr

Occasion

libellele

to the

this ren

supervening, but this efflorescent eruption, is frequently absent; much depletion is calculated to produce a direct passage from the first to this last stage when we should have recourse to stimulants in large doses frequently repeated. Volatile Alkali may be first mentioned, this medicine may be given in substance in doses of 4 or 5 grains every 2 hours, or in the form of Julep to the extent of a Drachm in twenty four hours. Camphor may be given in doses of 5 or 6 grains every 3 hours, in union with water or milk, or in combination with the different barks, as the cortex Peruvianus, Angustura cascarilla Cornus florida & Magnolia tripetala, these medicines I would use merely as auxiliaries to the more potent, and in the convalescent stage of Typhus this remark I would also extend to the Aristolochia or

a frenzy

many occ

medicine,

and sub

action g

has also

refreshing

made, an

the eaten

of Dr Th

is heavie

the stom

and in

objection

Cinchonaria virginiana whose invigorating power on many occasions, is immense. Musk is an invaluable medicine, provided it be genuine and will relieve Delirium and subsultus tendinum, and has considerable Diaphoretic action given in doses of 6 or 7 grains every two hours; it has also the effect of producing the most pleasing and refreshing sleep. Castor is similar in its effects to musk, and we may expect benefit from its use, given to the extent of 15 or 20 grains at a dose; it was the practice of Dr Rodgee to combine with it Opium. Asafoetida * is particularly serviceable, when expectorants are indicated: this often happens in the anomalous forms of the disease, as in typhus cum pneumonia. Opium, The great objection to this medicine is that when continued for

* This medicine is particularly commended by Dr Barton.

[illegible]

tending m[illegible]

but in co[illegible]

medicine

on our im[illegible]

then will

Dr Cull[illegible]

there is [illegible]

if in a [illegible]

on is obse[illegible]

the brea[illegible]

ing mu[illegible]

and to [illegible]

[illegible]

any length of time, it is apt to produce profuse diaphoresis tending much to debilitate and exhaust the patient; but in some stages of the disease it is an indispensable medicine, as when a Delirium supervenes not dependant on an inflammation of the meninges of the brain, the medicine then will produce sleep and tranquilise the patient:

Dr Cullen remarks, that in the advanced states of fever there is a circumstance occurring, which we may be aware of as a fact, though we cannot well explain it he goes on to observe that the cause of fever gives an irritation to the brain, which is not of the inflammatory kind, producing convulsive motions of the limbs to a considerable degree and to this irritation we may impute Delirium and subsultus tendinum; to remove these effects of irritation.

[illegible] is a stimulant [illegible] the simple [illegible] commended
in [illegible] and it is the opinion of Dr Brown that its unmodified power is able to combat the disease, after the strike
of delirium it requires great nicety and judgement in its administration.

Time is an article of primary importance, in the cure.
Dr Brown the soundest sort and Medicines are preferable.
A quart or more may be taken during the 24 hours, either
in the form of whey or panada, or in combination with aromatics. This last combination, will seldom be found necessary,
whey and panada should always be made of the best white
wines. In cases of exigency, we may resort to the use of
the more powerful drinks, as Rum, Brandy and Porter.

Blisters have been used in every stage of the disease.
Dr Cullen used them indiscriminately; Dr Fordyce thinks

the

if a

extrem

shoul

Deli

Ser

Blist

and

have

the

miles

20 dep

20 do

10 par

that they induce sub-sultus tendinum, especially in females if used during the second and third stages; they are extremely beneficial in typhus cum pneumonia, and should be used early: they will be found also to relieve Delirium, especially when aggravated by the use of wine. Vesicatories are more useful in the last stage than Blisters as they do not deplete the system being gentler and at the same time lasting. Cantharides. We have the honourable testimony of Dr Home in support of the great benefit to be derived from the tincture of Cantharides in the cure of typhus; we may use it in doses of 15 or 20 drops repeated three or four times a day. Mercury, given so as to produce a gentle Ptyalism, in the first 2d and 1st part of the 3d stage is a remedy deserving considerable

[illegible] The application of cold water to the surface of the body under certain circumstances is highly efficacious. Dr. Currie's treatment of fever, the shock is remarkable. It may act as a stimulus thus applied & will relieve in a great measure the morbid heat of the body. Much has recently been added to the use of well constructed apartments in moderating the violence of the disease.

Should a demand for tactic be taken on the intermittent fever, our chief reliance should be on the use of bark and arsenic. Diarrhoea which is so frequent an attendant on the disease; when it does it should be checked, by means of the calcareous mixture in preference to opium.

When a mortification or abscess of the parotid glands occurs

a chan

the la

to the i

Amongst

Indies

the gro

surface

it were

restored

of fur

a valua

bars

extreme

open them without waiting for a fluctuation, or suppose the tumour which perhaps may not take place at all, owing to the rigidity of the enclosed pus.

Amongst external applications, we may mention a mixture of Spirits of turpentine & Tincture of Cantharides. I have witnessed the good effects of this combination applied generally to the surface of the body, by means of friction; It resuscitated as it were the patient reduced to dissolution, and suddenly restored all the functions of the body.

To promote the action of Diaphoretic medicines we find a valuable auxiliary in the use of heated salt confined in bags and bottles filled with warm water applied to the extremities.

s subjects interesting both

1813

1815